Eclipse 常用设置

1、调整代码编辑区字体字号

Eclipse 的代码编辑区,默认字号是比较小的,如图1所示。



图1

如何调整大小?选择 Window-Preferences, 出现如图2所示的窗口。



图 2

在左边的列表中选择 General-Appearance-Colors and Fonts,如图 3 所

示。



图 3

在图 3 右边区域选择 Basic-Text Font, 如图 4 所示



图 4

双击图 4 中的红框选中的内容,或单击后再点击 Edit,出现如图 5 所示的

字体设置窗口。



图 5

根据需要选择合适的字体。

2、如何为代码编辑区添加行号

选择菜单 Window——Preferences,出现如图 6 所示的窗口。



图 6

在图 6 中点击 General——Editors 下的 Text Editors 出现右侧所示界面。

将复选框 Show line numbers 选中后即可。如图 7 所示。



3、设置代码编辑区的字符编码

选择菜单 Window——Preferences,出现如图 8 所示的窗口。



Preferences	
type filter text	Workspace 🗢 🔹 🔿 👻 🖛
▲ General ▷ Appearance	See <u>'Startup and Shutdown'</u> for workspace startup and shutdown preferences.
Compare/Patch Content Types Editors Error Reporting Globalization Keys	Build automatically Refresh using native hooks or polling Refresh on access Save automatically before build Always close unrelated projects without prompt
Notifications Perspectives Search	Workspace save interval (in minutes): 5 Workspace name (shown in window title):
 Security Startup and Shutdow UI Responsiveness M Web Browser 	Workspace path: D:\workspace1
Workspace Ant Code Recommenders Use	Open referenced projects when a project is opened Always Never Prompt
 ▷ Install/Update ▷ Java ▷ Maven 	Command for launching system explorer: explorer /E,/select=\${selected_resource_loc}
 ▷ Mylyn ▷ Oomph ▷ Run/Debug ▷ Team Validation ▷ WindowBuilder 	Text file encoding New text file line delimiter Default (GBK) Other: GBK Other: Windows
> XML	Restore Defaults Apply
? •	OK Cancel

图 8

点击 General 下的 Workspace 标签 , 出现图右侧所示的效果。在红框圈中

的 Text file encoding 选择 Other 就可以对想要的编码进行选择。如图 9 所示。

设置完成后点击 OK 即可。

Preferences	
pe filter text	Workspace 🗘 🔹 🖒
✓ General ▷ Appearance	See <u>'Startup and Shutdown'</u> for workspace startup and shutdown preferences.
Compare/Patch Content Types Editors Error Reporting Globalization Keys Network Connections Notifications	 Build automatically Refresh using native hooks or polling Refresh on access Save automatically before build Always close unrelated projects without prompt
Perspectives	Workspace save interval (in minutes): 5
Search ⊳ Security	Workspace name (shown in window title):
 Startup and Shutdow UI Responsiveness M Web Browser 	Workspace path: D:\workspace1
 Workspace Ant Code Recommenders 	Open referenced projects when a project is opened O Always
> Help > Install/Update > Java	Command for launching system explorer: explorer /E,/select=\${selected_resource_loc}
> Maven > Mylyn > Oomph > Run/Debug	Text file encoding New text file line delimiter Default (GBK) © Default (Windows) © Other: GBK
> Team Validation > WindowBuilder > XML	ISO-8859-1 US-ASCII UTF-16 UTF-16BE UTF-16LE UTF-8
4	Restore Defaults Apply
? •	OK Cancel

其中, ISO-8859-1 编码不支持中文, 如果选择这个编码, 如果在代码中出现中 文时, 将提示不能保存, 必须改为支持中文的编码后方可以保存。